(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 8 July 2004 (08.07.2004)

PCT

(10) International Publication Number WO 2004/056725 A1

- (51) International Patent Classification⁷: C07B 59/00, C07C 309/73, 309/68, A61K 51/04 // 101:02
- (21) International Application Number:

PCT/GB2003/005576

(22) International Filing Date:

19 December 2003 (19.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0229695.2

20 December 2002 (20.12.2002) GB

- (71) Applicant (for all designated States except US): AMER-SHAM PLC [GB/GB]; Amersham Place, Little Chalfont, Buckinghamshire HP7 9NA (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): GIBSON, Alexander, Mark [GB/GB]; Amersham plc, The Grove Centre, White Lion Road, Amersham, Buckinghamshire HP7 9LL (GB). BROWN, Lynda, Jane [GB/GB]; Department of Chemistry, The University of Southampton, Highfield, Southampton, Hampshire (GB). BROWN, Richard, Charles, Downie [GB/GB]; Department of Chemistry, The University of Southampton, Highfield, Southampton, Hampshire (GB).

(74) Agents: HAMMETT, Audrey, Grace, Campbell et al.; Amersham plc, Amersham Place, Little Chalfont, Bucking-hamshire HP7 9NA (GB).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SOLID-PHASE PREPARATION OF 18F-LABELLED AMINO ACIDS



(57) Abstract: A process for the production of an *\frac{18}{18}F-labelled tracer which comprises treatment of a solid support-bound precursor of formula (1): SOLID SUPPORT-LINKER-SO2-O -TRACER (I) with \frac{18}{18}F- to produce the labelled tracer of formula (II).

/O 2004/056725 A1 ||||

THIS PAGE BLANK (USPTO)

WO 2004/056725

5



SOLID-PHASE PREPARATION OF ¹⁸F-LABELLED AMINO ACIDS

The present invention relates to novel solid-phase processes for the production of radiolabelled tracers, in particular for the production of ¹⁸F-labelled amino acids which may be suitable for use as Positron Emission Tomography (PET) radiotracers. The invention also comprises radiopharmaceutical kits using these novel processes.

- The favoured radioisotope for PET, ¹⁸F, has a relatively short half-life of 110 minutes. ¹⁸F-labelled tracers for PET therefore have to be synthesised and purified as rapidly as possible, and ideally within one hour of clinical use. Standard synthetic methods for introducing fluorine-18 are relatively slow and require post-reaction purification (for example, by HPLC) which means that it is difficult to obtain the ¹⁸F-labelled tracer for clinical use in good radiochemical yield. There is also a need for automation to protect the operator from radiation exposure. Many radiofluorinations are complicated procedures and it is necessary to simplify them to facilitate automation.
- The present invention provides solid-phase processes for producing ¹⁸F-labelled amino acids quickly and with high specific activity yet avoiding time-consuming purification steps, such that the resultant ¹⁸F-labelled amino acid is suitable for use in PET. The solid-phase methods also lend themselves to automation with advantages of ease of production and greater throughput. The invention also comprises radiopharmaceutical kits which use such processes and thus provide the radiopharmacist or clinician with a convenient means of preparing an ¹⁸F-labelled amino acid.
- ¹⁸F-labelled amino acids, useful for tumour imaging are described in US
 5,808,146, an especially preferred example of such an amino acid being [¹⁸F]-1-amino-3-fluorocyclobutane-1-carboxylic acid ([¹⁸F]-FACBC). Solid-phase nucleophilic fluorination methods are described in co-pending International Patent

Application PCT/GB02/02505.

In a first aspect, the invention provides a process for the production of an 18Flabelled tracer which comprises treatment of a solid support-bound precursor of formula (I):

wherein the TRACER is of formula (A):

$$-R^1-CH_2$$
 COP^1 (A) $R^2-C_yH_z$ NP^2P^3

wherein P¹ is hydroxy or a protecting group, P² and P³ are independently hydrogen 10 or a protecting group, R¹ is a bond, -CH=CH-, or together with R² forms R³;

$$R^3$$
 is -(CH)_j-C_mH_n-CH_q $<$ (CH₂)_x-

R² is hydrogen or together with R¹ forms R³:

15 such that

$$-R^{3} \qquad C \qquad COP^{1} \\ C_{y}H_{z} \qquad NP^{2}P^{3}$$

is formed

25

z is 1, 2, 3, or 4 and z>y if y is 2: 20 q is 1 or 0 if n is 1 and j is 0; n is 1 or 2, but 0 if m is 0; m is 0 or 1; and


wherein x is 0 or 1;


j is 0 or 1;

with ¹⁸F⁻ to produce the labelled tracer of formula (II)

20

25





wherein R^1 , R^2 , y, z, P^1 , P^2 and P^3 are as defined for the compound of formula (I), optionally followed by

- (i) removal of excess ¹⁸F⁻, for example by ion-exchange chromatography; and/or
- 5 (ii) removal of any protecting groups; and/or
 - (iii) removal of organic solvent; and/or
 - (iv) formulation of the resultant compound of formula (II) as an aqueous solution

Preferably, in the compounds of formula (I) above, R^1 and R^2 form the group R^3 , and more preferably, x is 0, y is 1, z is 2, q is 1, m is 0 and j is 0.

As the ¹⁸F-labelled tracer of formula (II) is removed from the solid-phase into solution, all unreacted precursor remains bound to the resin and can be separated by simple filtration, thus obviating the need for complicated purification, for example by HPLC. The ¹⁸F-labelled tracer of formula (II) may be cleaned up by removal of excess F⁻, for example by ion-exchange chromatography and/or by removal of any organic solvent, for example by evaporation. Any protecting groups may be removed, and other simple processing steps such as passing through a C₁₈ purification column or evaporation may be performed. The resultant ¹⁸F-labelled tracer of formula (II) may then be further made-up into an aqueous formulation for clinical use.

As shown in Scheme 1, the compound of formula (I) may be conveniently prepared from any suitable commercially available resin, such as Merrifield Resin, NovaSyn® TG Bromo Resin, (Bromomethyl)phenoxymethyl polystyrene, or Wang Resin which may be reacted with a compound (the LINKER) that is functionalised with a sulphonyl fluoride or sulphonyl chloride at one end and with a reactive functionalisation, for example, a carboxylic acid, at the other end. This may be carried out by treating an amine functionalised resin with a linker compound

10

15

20

having both a sulphonyl fluoride and an acid chloride functionality, in an appropriate inert solvent such as dichloromethane, chloroform, or acetonitrile, and heating at elevated temperature for a period of time. The excess reagent may then be removed from the resin by washing with further portions of the inert The sulphonyl chloride resin may then be reacted with the alcohol analogue of the tracer to produce the resin-bound precursor of formula (I). This may be carried out by treating the resin with a solution of the alcohol in an inert solvent such as chloroform, dichloromethane, acetonitrile, dioxane, or tetrahydrofuran containing a non-nucleophilic soluble base such as sodium hydride or a trialkylamine, for example triethylamine or diisopropylethylamine. The reaction may be carried out at a temperature of 10 to 80°C, optimally at ambient temperature for a period of from around 1 to 72 hours. The excess alcohol and base may then be removed from the solid support by washing with further portions of an inert solvent such as chloroform, dichloromethane, or tetrahydrofuran. Alternatively, the LINKER may be bonded to the TRACER before attaching to the SOLID SUPPORT to form the compound of formula (I), using analogous chemistry to that described above.


Scheme 1 Linker SO₂F HO Tracer Linker SO₂F Linker Tracer Tracer

(1)

10

15

20



In the compounds of formulae (I) and in the following more specific aspect of the invention, the "SOLID SUPPORT" may be any suitable solid-phase support which is insoluble in any solvents to be used in the process but to which the LINKER and/or TRACER can be covalently bound. Examples of suitable SOLID SUPPORT include polymers such as polystyrene (which may be block grafted, for example with polyethylene glycol), polyacrylamide, or polypropylene or glass or silicon coated with such a polymer. The solid support may be in the form of small discrete particles such as beads or pins, or as a coating on the inner surface of a cartridge or on a microfabricated vessel.

In the compounds of formulae (I) and in the following more specific aspect of the invention, the "LINKER" may be any suitable organic group which serves to space the reactive site sufficiently from the solid support structure so as to maximise reactivity. Suitably, the LINKER comprises zero to four aryl groups (suitably phenyl) and/or a C_{1-16} alkyl (suitably C_{1-6} alkyl) or C_{1-16} haloalkyl (suitably C_{1-6} haloalkyl), typically C_{1-16} fluoroalkyl (suitably C_{1-6} fluoroalkyl), or C_{1-16} alkoxy or C_{1-16} haloalkoxy (suitably C_{1-6} alkoxy or C_{1-6} haloalkoxy (suitably C_{1-6} alkoxy or C_{1-6} haloalkoxy) typically C_{1-16} fluoroalkoxy (suitably C_{1-6} fluoroalkoxy), and optionally one to four additional functional groups such as amide or sulphonamide groups. Examples of such linkers are well known to those skilled in the art of solid-phase chemistry, but include:

10

15

20

wherein at each occurrence, k is an integer of 0 to 3, n is an integer of 1 to 16, and R^L is hydrogen or C_{1-6} alkyl.

As would be apparent to the person skilled in the art, it may be necessary to protect functional groups in the TRACER to avoid unwanted reactions during the radiolabelling process. Such protection may be achieved using standard methods of protecting group chemistry. After the radiolabelling is complete, any protecting groups may be removed by simple procedures which are also standard in the art. Suitable protection and deprotection methodologies may be found, for example, in Protecting Groups in Organic Synthesis, Theodora W. Greene and Peter G. M. Wuts, published by John Wiley & Sons Inc. Preferred carboxylic acid protecting groups, P^1 , include C_{1-6} alkyl esters. Preferred amine protecting groups P^2 and P^3 include butoxycarbonyl, formamide, tosylate, fluorenylmethoxy carbonyl, trifluoroacetamide, succinimide, and phthalimide.

Treatment of the compound of formula (I) with ¹⁸F may be effected by treatment with any suitable source of ¹⁸F, such as Na¹⁸F, K¹⁸F, Cs¹⁸F, tetraalkylammonium ¹⁸F fluoride, or tetraalkylphosphonium ¹⁸F fluoride. To increase the reactivity of the fluoride, a phase transfer catalyst such as 4,7,13,16,21,24 hexaoxa-1,10-diazabicyclo[8,8,8] hexacosane may be added and the reaction performed in a

non protic solvent. These conditions give reactive fluoride ions. The treatment with ¹⁸F⁻ is suitably effected in the presence of a suitable organic solvent such as acetonitrile, dimethylformamide, dimethylsulphoxide, tetrahydrofuran, dioxan, 1,2 dimethoxyethane, sulpholane, N-methylpyrolidinineone, at a non-extreme temperature, for example, 15°C to 180°C, preferably at elevated temperature. On completion of the reaction, the ¹⁸F-labelled tracer of formula (II) dissolved in the solvent is conveniently separated from the solid-phase by filtration. The same fluorination techniques may be used in the following more specific aspects of the invention.

10

5

Any excess ¹⁸F⁻ may be removed from the solution of ¹⁸F-tracer by any suitable means, for example by ion-exchange chromatography or solid phase absorbents. Suitable ion-exchange resins include BIO-RAD AG 1-X8 or Waters QMA and suitable solid phase absorbents include alumina. The excess ¹⁸F⁻ may be removed using such solid phases at room temperature in aprotic solvents.

20

15

Any organic solvent may be removed by any standard method such as by evaporation at elevated temperature *in vacuo* or by passing a stream of inert gas such as nitrogen or argon over the solution.

Before use of the ¹⁸F-labelled tracer, it may be appropriate to formulate it, for example as an aqueous solution by dissolving the ¹⁸F-labelled tracer in sterile isotonic saline which may contain up to 10% of a suitable organic solvent such as ethanol, or a suitable buffered solution such as a phosphate buffer. Other additives may be added such as ascorbic acid to reduce radiolysis.

25

In a preferred aspect, the present invention provides, a process for the production of [¹⁸F]-1-amino-3-fluorocyclobutane-1-carboxylic acid ([¹⁸F]-FACBC) which comprises treatment of a solid support-bound precursor of formula (Ia):

SOLID SUPPORT - LINKER
$$\begin{array}{c} O \\ | \\ | \\ O \end{array}$$
 $\begin{array}{c} COP^{1a} \\ NP^{2a}P^{3a} \end{array}$ (Ia)

wherein P^{2a} and P^{3a} are each independently hydrogen or a protecting group, and P^{1a} is hydroxyl or a protecting group;

with ¹⁸F⁻ to produce the labelled tracer of formula (IIa)

wherein P^{1a}, P^{2a}, and P^{3a} are each as defined in Formula (Ia); optionally followed by

- (i) removal of excess ¹⁸F⁻, for example by ion-exchange chromatography; and/or
- (ii) removal of the protecting groups; and/or
- (iii) removal of organic solvent; and/or
- (iv) formulation of the resultant compound of formula (IIa) as an aqueous solution.

In the compound of formula (Ia) the LINKER is preferably


wherein R^L is hydrogen or C_{1-6} alkyl, n is 1 to 16, and k is 0 to 3.

and the SOLID SUPPORT is suitably a polystyrene resin.

10

25

30



Removal of any protecting groups from the compound of formula (IIa) may be effected by standard methods as referred to above. In a preferred embodiment of this aspect of the invention, the carboxylic acid groups are protected as esters, suitably C₁₋₆ alkanoic esters, preferably as acetate esters, and the amine groups may be protected with an C₁₋₆ alkoxy carbonyl, preferably t-butoxycarbonyl group. Such protecting groups may be conveniently removed by hydrolysis, for example in the presence of acid or base. Such deprotection may be effected on using solid supported acid or base catalysts that render the need for post deprotection neutralisation unnecessary

The compounds of formula (I) and (Ia) are novel and thus form a further aspect of the present invention.

As described above, the advantages of such solid-phase processes for preparation of ¹⁸F-labelled tracers include the relative speed of the process, simplified purification methods and ease of automation- all of which mean that the processes are suitable for preparation of ¹⁸F-labelled tracers for use in PET. Accordingly, the present invention provides the a process for the production of a ¹⁸F-labelled tracer of formula (II) or (IIa) for use in PET.

Conveniently, the solid support bound precursor of formula (I) or (Ia) could be provided as part of a kit to a radiopharmacy. The kit may contain a cartridge which can be plugged into a suitably adapted automated synthesiser. The cartridge may contain, apart from the solid support-bound precursor, a column to remove unwanted fluoride ion, and an appropriate vessel connected so as to allow the reaction mixture to be evaporated and allow the product to be formulated as required. The reagents and solvents and other consumables required for the synthesis may also be included together with a compact disc carrying the software which allows the synthesiser to be operated in a way so as to meet the customers requirements for radioactive concentration, volumes, time of delivery etc.



Conveniently, all components of the kit are disposable to minimise the possibilities of contamination between runs and may be sterile and quality assured.

The invention further provides a radiopharmaceutical kit for the preparation of an ¹⁸F-labelled tracer for use in PET, which comprises:

- (i) a vessel containing a compound of formula (I) or (Ia); and
- (ii) means for eluting the vessel with a source of ¹⁸F⁻:
- (iii) an ion-exchange cartridge for removal of excess ¹⁸F⁻; and optionally
- (iv) a cartridge for solid-phase deprotection of the resultant product of formula(II) or (IIa).

The invention further provides a cartridge for a radiopharmaceutical kit for the preparation of an ¹⁸F-labelled tracer for use in PET which comprises:

- (i) a vessel containing a compound of formula (I) or (Ia); and
- 15 (ii) means for eluting the vessel with a source of ¹⁸F⁻

In a further aspect of the invention, there is provided a method for obtaining a diagnostic PET image which comprises the step of using a radiopharmaceutical kit or a cartridge for a radiopharmaceutical kit as described above.

20

5

10

The invention will now be illustrated by way of the following Examples.

Throughout the Examples, abbreviations used are as follows:

DCM: dichloromethane

DMF: N, N-dimethylformamide

25 DIPEA: Diisopropylethylamine

DPPCI: Diphenyl phosphorochloridate


w/v: weight/volume

h: hour(s)

tlc: thin layer chromatography

30 THF: tetrahydrofuran

eq.: equivalents



Example 1. Synthesis of syn- and anti-1-amino-3-[¹⁸F]-fluorocyclobutane-1-carboxylic acid (FACBC)

Intermediate 1. Preparation of 1-t-butyl carbamate-3-hydroxy-1-cyclobutane-1 carboxylic acid methyl ester

Following literature Shoup, T.M. & Goodman, M.M. Journal of Labelled Compounds and Radiopharmaceuticals (1999), 42, 215, the hydroxy intermediate is synthesised

Example 1(i) Synthesis of perfluoroalkyl sulphonyl linker (D)

10

15

Following Yijun Pan and Christopher Holmes. A traceless Perfluoroalkylsulphonyl linker for the deoxygenation of phenols, Organic letters, July 2001, p83-86 and supplementary information attached.


To the solution of ethyl vinylether (600 mg, 8.3 mmol), NaHCO $_3$ (680 mg, 8.0 mmol), and Tetrafluoro-2-tetrafluoro-2-iodoethoxy) ethanesulphonyl fluoride (A) supplied by Apollo (3.5 g, 8.0 mmol) in CH $_3$ CN (8 ml) and H $_2$ O (7 ml) was slowly added Na $_2$ S $_2$ O $_4$ (1.64 g, 8.0 mmol) at 0 °C under stirring. The mixture was stirred at 5 °C for 50min. The pH of the reaction mixture was adjusted to 6.2~7.0 by adding 3N aqueous HCl and the mixture was stirred at 25 °C for another 20 min. It was extracted with CH $_2$ Cl $_2$, washed with water and concentrated under reduced pressure. The oil residue was dissolved in acetone (38 ml) and the solution was added to a stirring mixture of 2-methyl-butene-2 (36 ml), NaH $_2$ PO $_4$ (4.0 g, 30 mmol), NaClO $_2$ (5.0 g, 55 mmol) and water (40 ml) at 0-5 °C. The reaction mixture was stirred at 10-15 °C for 2h. It was concentrated under reduced pressure, extracted with ether, washed with brine, dried (Na $_2$ SO $_4$) and concentrated for chromatography (CHCl $_3$ /MeOH, 100:2) to afford compound (D) (866 mg, 30%). F-19 NMR; C-13 NMR

20 Example 1(ii) Synthesis of Acyl Chloride Linker (E)

10

15

20



$$(COCI)_{2} (2 \text{ eqs})$$

$$DMF \text{ cat}$$

$$DCM, 1 \text{ h, rt}$$

$$(D)$$

$$(E)$$

The acyl chloride (E) was prepared by adding 2 drops of dry DMF (Aldrich) to a dry DCM solution (4 mL; Aldrich)) of the corresponding acid (0.79 g, 2.2 mmol) and oxalyl chloride (0.38 mL, 4.4 mmol, Aldrich). Gas was released over ten minutes and the mixture stirred for 1 hour at room temperature. The resulting solution was evaporated under reduced pressure and the residue dissolved in 2 mL of dry DCM.

Example 1(iii) Synthesis of PS-Resin Linker

PS
$$\stackrel{\text{DIPEA (5 eqs)}}{\stackrel{\text{DCM, -40 C to rt, 4 h}}{\stackrel{\text{DCM, -40 C to rt, 4 h}}{\stackrel{\text{PS}}{\stackrel{\text{NH}_2}{\stackrel{\text{NH}_2}{\stackrel{\text{CO}}{\stackrel{\text{NH}_2}{\stackrel{\text{CO}}{\stackrel{\text{NH}_2}{\stackrel{\text{CO}}{\stackrel{\text{NH}_2}{\stackrel{\text{CO}}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}{\stackrel{\text{NH}_2}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}}{\stackrel{\text{NH}_2}}}}}}}}}}}}}}}}}}}}}}}}}}}}$$

In an oven-dried Radleys reaction tube were placed 1 g of polystyrene resin (1 g, 1.30 mmol.g⁻¹, Novabiochem 01-64-0143, 100-200 mesh) and 16 mL of dry DCM (Aldrich). The tube was flushed with nitrogen and cooled to –40 °C. A DCM (dry, Aldrich) solution of acyl chloride (D) (2 mL; 4.4 mmol; 3.4 eqs) was added followed by dry DIPEA (2.2 mmol; 5 eqs). The yellow reaction mixture became orange upon warming slowly to room temperature. After 5 hours, the resin was filtred of and washed thoroughly with DCM and methanol. The orange solid was evaporated under reduced pressure.

¹⁹F NMR, δ (ppm, CDCl₃, reference CFCl₃, 282.65 MHz) : 45.1 (SO₂F), - 82.6 (OCF₂), - 87.9 (OCF₂), - 112.6 (CF₂SO₂F), - 115.7 (CF₂CH₂) ppm.

Example 1(iv) Synthesis of solid supported 1-t-butyl carbamate-1-cyclobutane-1

carboxylic acid methyl ester

A portion of the resin prepared in the manner of Example 1(iii) above is swollen

with dichloromethane (2ml). To this resin is added a solution in dioxane of -t-butyl carbamate-3-hydroxy-1-cyclobutane-1 carboxylic acid methyl ester (Intermediate1) which has been treated with sodium hydride to give the sodium salt. The suspension is stirred for 40 hours at 80°C. The suspension is then filtered and the resin is washed with THF

Example 1(v) Radiofluorination to prepare [18F]-FACBC

To a portion of the resin (prepared as described in Example 1(vii)) held in a cartridge is added a solution in dry acetonitrile of kryptofix, potassium carbonate and [18F]-fluoride. The suspension is heated to 85°C for 10 minutes and then the solution is filtered off. The solution is then passed onto a C₁₈ solid phase extraction cartridge and washed with water to remove acetonitrile, kryptofix and potassium carbonate. Addition of more acetonitrile washes the radiofluorinated product of the cartridge into a solution of 6 M HCI. This solution is heated for 5 minutes at 130°C before neutralization and analysis.


Example 2. Synthesis of syn- and anti-1-amino-3-[18F]-fluorocyclobutane-1-carboxylic acid (FACBC)

2. (i). <u>Preparation of 1-t-butyl carbamate-3-hydroxy-1-cyclobutane-1 carboxylic</u> acid methyl ester

This step was performed as described above (Intermediate 1).

Example 2(ii) Synthesis of 1-tert-butoxycarbonylamino-3-[1, 1, 2, 2-tetrafluoro2- (1, 1, 2, 2-tetrafluoro-2-iodoethoxy)ethanesulfonyloxy]-cyclobutane

carboxylic acid methyl ester



To the solution of 1-tert-butyl carbamate-3-hydroxy-1-cyclobutane-1 carboxylic acid methyl ester in THF at 0°C was added 1.1 equivalents of sodium bis(trimethylsilyl)amide. After 30 minutes at 0°C 1.1 equivalents of tetrafluoro-2-tetrafluoro-2-iodoethoxy) ethanesulfonyl fluoride was added. After 30 minutes the ice bath was removed and the mixture allowed to warm to ambient temperature. The solvent was removed at reduced pressure at room temperature. The crude mixture was purified by silica gel chromatography eluting with ethyl acetate/petroleum ether (3:7) yielding the desired product as an oil.

NMR (CDCl₃), δH: 1.44 (9H, s, Boc), 2.70-3.21 (4H, m, vbr, cyclobutane), 3.77 (3H, s, OMe), 5.41 (1H, p, J=7.2 Hz, 3C-H), δF: 118.3, 115.5, 82.6, 65.6

Example 2(iii) Synthesis of 1-tert-butoxycarbonylamino-3-[2-(12-carboxy-1, 1, 2, 2-tetrafluoro-4-iodododecyloxy)-1, 1, 2, 2-tetrafluoroethanesulfonyloxy]-

15 cyclobutane carboxylic acid methyl ester

To the solution of 1-tert-butoxycarbonylamino-3-[1, 1, 2, 2-tetrafluoro-2-(1, 1, 2, 2-

10

20

tetrafluoro-2-iodoethoxy)ethanesulfonyloxy]-cyclobutane carboxylic acid methyl ester in water/acetonitrile (1:2) cooled in an ice/water bath was added sequentially 1.2 equivalent of sodium bicarbonate, 1.2 equivalent of sodium dithionite and 1 equivalent of undecylenic acid. The mixture was stirred for one hour and is allowed to warm to ambient temperature. The solvent was removed under reduced pressure at ambient temperature. The aqueous layer was extracted three times with ethyl acetate. The organic layer was dried over magnesium sulfate, filtered and the solvent removed at reduced pressure. The crude mixture was purified by silica gel chromatography eluting with ethyl acetate/petroleum ether (graduated form 0% to 90% ethyl acetate). NMR (CDCl₃), δ H: 1.32 (10H, s, vbr), 1.44 (9H, s, vbr, BOC), 1.55-1.85 (4H, m, vbr), 2.35 (2H, t, 7.2 Hz), 2.41-3.25 (5H, m, vbr), 3.81 (3H, s, OMe), 4.30 (1H, s, br, NH), 5.41 (1H, p, br, 3-CH)

Example 2(iv) Synthesis of 1-tert-butoxycarbonylamino-3-[2-(12-carboxy-1, 1,

2, 2-tetrafluorododecyloxy)-1, 1, 2, 2-tetrafluoroethanesulfonyloxy]-cyclobutane carboxylic acid methyl ester

To the solution of 1-tert-butoxycarbonylamino-3-[2-(12-carboxy-1, 1, 2, 2-tetrafluoro-4-iodododecyloxy)-1, 1, 2, 2-tetrafluoroethanesulfonyloxy]-cyclobutane carboxylic acid methyl ester in diethyl ether was added an excess of zinc metal followed by acetic acid. The mixture was heated at reflux for 1 hour. The mixture



was cooled and the solvent decanted off taking care no zinc metal passed out of the reaction vessel. The solvent was removed at reduced pressure at ambient pressure.


Example 2(v) Solid support synthesis of 1-tert-butoxycarbonylamino-3-[2-(12-carboxy-1, 1, 2, 2-tetrafluorododecyloxy)-1, 1, 2, 2-tetrafluoroethanesulfonyloxy]-cyclobutane carboxylic acid methyl ester

In an oven-dried Radleys reaction tube is placed 1 g of polystyrene resin (1 g, 1.30 mmol.g⁻¹, Novabiochem 01-64-0143, 100-200 mesh) and 16 mL of dry DCM (Aldrich). To this is added sequentially 1-tert-butoxycarbonylamino-3-[2-(12-carboxy-1, 1, 2, 2-tetrafluorododecyloxy)-1, 1, 2, 2-tetrafluoroethanesulfonyloxy]-cyclobutane carboxylic acid methyl ester (1.1 equivalent), Hunig's base (2.0 equivalent) and DPPCI (1.1 equivalent). After 5 hours the resin is filtered of and washed thoroughly with DCM and methanol. The solid is dried at reduced pressure.

Example 2(vi) Radiofluorination to prepare [18F]-FACBC

To a portion of the resin (prepared as described in Example 2(v) held in a cartridge

10



is added a solution in dry acetonitrile of kryptofix, potassium carbonate and [¹⁸F]-fluoride. The suspension is heated to 85°C for 10 minutes and then the solution is filtered off. The solution is then passed onto a C₁₈ solid phase extraction cartridge and washed with water to remove acetonitrile, kryptofix and potassium carbonate.

Addition of more acetonitrile washes the radiofluorinated product of the cartridge into a solution of 6 M HCI. This solution is heated for 5 minutes at 130°C before neutralization and analysis.

Example 3. Synthesis of syn-and anti-1-amino-3-[¹⁸F]-fluoromethyl-cyclobutane-1-carboxylic acid (FMACBC)

<u>Intermediate 1. Preparation of 1-[N-(t-butoxycarbonyl)amino]-3-hydroxymethyl-1-cyclobutane-1-carboxylic acid t-butyl ester</u>

Following literature from Martarello, L., McConathyl, J., Camp, V.M., Malveaux, E. J., Simpson, N.E., Simpson, C.P., Olson, J.J., Bowers, G.D. and Goodman, M.M. Journal of Medicinal Chemistry 2002, 45, 2250, the hydroxymethyl intermediate is synthesised.


Example 3(i) Synthesis of solid supported 1-[N-(t-butoxycarbonyl)amino]-3-

10

15

20

25



hydroxymethyl-1-cyclobutane-1-carboxylic acid t-butyl ester

The resin is swelled in pyridine/DCM (1:1) and to this is added 1-[*N*-(*t*-butoxycarbonyl)amino]-3-hydroxymethyl-1-cyclobutane-1-carboxylic acid *t*-butyl ester. The reaction is monitored via a test for the complete consumption of the sulfonyl chloride: several beads are placed in a solution of 5% ethylenediamine in DMF for five minutes; these beads are then thoroughly washed (DMF x3, DCM x3, THFx3) and then is treated with a solution of 1% bromophenol blue in dimethylacetamine. The beads are then washed with DMF five times. Blue beads indicate the presence of sulfonyl chloride groups on the resin, but if the beads are white (or off white) the reaction has finished.

Example 3(ii) - Preparation of [19F] FMeACBC.

To the solid supported 1-[N-(t-butoxycarbonyl)amino]-3-hydroxymethyl-1-cyclobutane-1-carboxylic acid t-butyl ester in acetonitrile is added potassium fluoride, kryptofix [2, 2, 2] and potassium carbonate. The solution is heated at reflux for 45 minutes. The reaction mixture is allowed to cool to ambient temperature and then filtered, and washed with acetonitrile. The organic layer is collected. The solvent is removed at reduced pressure and this yields [19 F] FMeACBC. NMR (CDCl₃), δ H: 1.37 (9H, s, (CH₃)₃C), 1.43 (9H, s, (CH₃)₃C), 2.16-2.34 (2H, s, br, CH₂), 2.45-2.57 (2H, m, br, CH₂), 4.34 (2H, d, J=7 Hz, CH₂F), 5.17 (1H, s, NH), δ C: 28.0 (CH₃), 28.5 (CH₃), 33.3 (CH₂), 55.1 (C(NH)(C=O)), 79.7 (C(CH₃)₃), 81.7 (C(CH₃)₃), 85.2, 87.4 (CH₂F), 154.7 (C=O), 173.2 (C=O)

[¹⁸F] FMeACBC may be prepared from the intermediate of Example 3(i) with analogous chemistry using [¹⁸F] potassium fluoride.

Claims

5

1. A process for the production of an ¹⁸F-labelled tracer which comprises treatment of a solid support-bound precursor of formula (I):

wherein the TRACER is of formula (A):

$$-R^1$$
- CH_2 COP^1 (A) R^2 - C_yH_z NP^2P^3

wherein P¹ is hydroxy or a protecting group, P² and P³ are independently hydrogen or a protecting group, R¹ is a bond, -CH=CH-, or together with R² forms R³;

$$R^3$$
 is -(CH)_j-C_mH_n-CH_q $<$ (CH₂)_x-

R² is hydrogen or together with R¹ forms R³;

15 such that

$$-R^3$$
 C COP^1 C_vH_z NP^2P^3

is formed

wherein x is 0 or 1;

y is 1 or 2;

z is 1, 2, 3, or 4 and z>y if y is 2;

q is 1 or 0 if n is 1 and j is 0;

n is 1 or 2, but 0 if m is 0;

m is 0 or 1; and

j is 0 or 1;

25

20

10

with ¹⁸F⁻ to produce the labelled tracer of formula (II)

$$^{18}F- R^{1}-CH_{2}$$
 COP1 (II) $R^{2}-C_{\nu}H_{z}$ NP $^{2}P^{3}$

wherein R^1 , R^2 , y, z, P^1 , P^2 and P^3 are as defined for the compound of formula (I), optionally followed by

- (i) removal of excess ¹⁸F⁻¹ for example by ion-exchange chromatography; and/or
- (ii) removal of any protecting groups; and/or
- (iii) removal of organic solvent; and/or
- (iv) formulation of the resultant compound of formula (II) as an aqueous solution
- 2. A process for the production of an 18 F-labelled tracer according to claim 1 wherein R^1 and R^2 form the group R^3 .
- 3. A process for the production of an ¹⁸F-labelled tracer according to claim 1 or 2 wherein R¹ and R² form the group R³ and x is 0, y is 1, z is 2, q is 1, m is 0 and j is 0.
- 4. A process according to any one of claims 1 to 3 for the production of [¹⁸F]-1-amino-3-fluorocyclobutane-1-carboxylic acid ([¹⁸F]-FACBC) which comprises treatment of a solid support-bound precursor of formula (Ia):

SOLID SUPPORT - LINKER
$$\begin{array}{c} 0 \\ | \\ | \\ 0 \end{array}$$
 $\begin{array}{c} COP^{1a} \\ NP^{2a}P^{3a} \end{array}$ (la)

wherein P^{2a} and P^{3a} are each independently hydrogen or a protecting group, and P^{1a} is hydroxyl or a carboxylic acid protecting group; with ¹⁸F⁻ to produce the labelled tracer of formula (IIa)

wherein P^{1a}, P^{2a}, and P^{3a} are each as defined in Formula (Ia);

5 optionally followed by

10

25

- (i) removal of excess ¹⁸F , for example by ion-exchange chromatography; and/or
- (ii) removal of the protecting groups; and/or
- (iii) removal of organic solvent; and/or
- (iv) formulation of the resultant compound of formula (IIa) as an aqueous solution.
- 5. A process according to claim 4 wherein the LINKER in the compound of formula (Ia) is

wherein k is an integer of 0 to 3, n is an integer of 1 to 16, and R^L is hydrogen or C_{1-6} alkyl.

- 6. A process according to claim 4 or 5 in which P^{1a} is C_{1-6} alkoxy, P^{2a} is hydrogen or C_{1-6} alkoxycarbonyl, and P^{3a} is C_{1-6} alkoxycarbonyl.
- 7. A process for the production of a ¹⁸F-labelled tracer of formula (II) or (IIa), according to any one of claims 1 to 6, for use in PET.
 - 8. A compound of formula (I)

 SOLID SUPPORT-LINKER-SO₂-O -TRACER (I)

wherein the TRACER is of formula (A):

$$-R^1-CH_2$$
 COP1 (A) $R^2-C_yH_z$ NP2P3

wherein P¹ is hydroxy or a protecting group, P² and P³ are independently hydrogen or a protecting group, R¹ is a bond, -CH=CH-, or together with R² forms R³;

$$\dot{R}^3$$
 is -(CH)_j-C_mH_n-CH_q $<$ (CH₂)_x-

R² is hydrogen or together with R¹ forms R³;

such that

5

15

20

$$CH_2$$
 COP^1 C_yH_z COP^2

10 is formed

wherein x is 0 or 1; y is 1 or 2; z is 1, 2, 3, or 4 and z>y if y is 2; q is 1 or 0 if n is 1 and j is 0; n is 1 or 2, but 0 if m is 0; m is 0 or 1; and

9. A compound of formula (la):

j is 0 or 1.

SOLID SUPPORT - LINKER $\begin{array}{c} 0 \\ | \\ | \\ 0 \end{array}$ $\begin{array}{c} COP^{1a} \\ NP^{2a}P^{3a} \end{array}$ (Ia)

wherein P^{2a} and P^{3a} are each independently hydrogen or a protecting group, and


25

P^{1a} is hydroxyl or a protecting group.

10. A compound according to claim 8 or 9 in which the LINKER is

- wherein k is an integer of 0 to 3, n is an integer of 1 to 16, and R^L is hydrogen or C₁₋₆ alkyl.
 - 11. A compound according to any one of claims 8 to 10 in which P^{1a} is C_{1-6} alkoxy, P^{2a} is hydrogen or C_{1-6} alkoxycarbonyl, and P^{3a} is C_{1-6} alkoxycarbonyl.
 - 12. A radiopharmaceutical kit for the preparation of an ¹⁸F-labelled tracer for use in PET, which comprises:
 - (i) a vessel containing a compound of formula (I) or (Ia) as defined in any one of claims 1 to 6; and
- 15 (ii) means for eluting the vessel with a source of ¹⁸F⁻;
 - (iii) an ion-exchange cartridge for removal of excess ¹⁸F⁻; and optionally
 - (iv) a cartridge for solid-phase deprotection of the resultant product of formula (II) or (IIa) as defined in any one of claims 1 to 6.
- 13. A cartridge for a radiopharmaceutical kit for the preparation of an ¹⁸F-labelled tracer for use in PET which comprises:
 - (i) a vessel containing a compound of formula (I) or (Ia) as defined in any one of claims 1 to 6; and
 - (ii) means for eluting the vessel with a source of ${}^{18}\mathrm{F}^{\text{-}}$.
 - 14. A method for obtaining a diagnostic PET image which comprises the step of using a radiopharmaceutical kit according to claim 12 or a cartridge for a radiopharmaceutical kit according to claim 13.





PCT/GB 03/05576 A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C07B59/00 C07C C07C309/73 C07C309/68 A61K51/04 //A61K101:02 According to International Patent Classification (IPC) or to both national classification and IPC Minimum documentation searched (classification system followed by classification symbols) IPC 7 CO7B C07C Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, CHEM ABS Data C. DOCUMENTS CONSIDERED TO BE RELEVANT Category 9 Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. LAURENT MARTARELLO ET AL.: "Synthesis of Α 1,8,9, syn- and 12 - 14anti-1-Amino-3-'18F!fluoromethyl-cyclobuta ne-1-carboxylic Acid (FMACBC), Potential PET Ligands for Tumor Detection" J. MED. CHEM., vol. 45, 26 April 2002 (2002-04-26), pages 2250-9, XP002276531 cited in the application the whole document Further documents are fisted in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the 'A' document defining the general state of the art which is not considered to be of particular relevance invention 'E' earlier document but published on or after the International *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-ments, such combination being obvious to a person skilled in the art. document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 15 April 2004 03/05/2004 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Diederen, J Fax: (+31-70) 340-3016



PCT/	GB	03/	05	57	6
------	----	-----	----	----	---

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
A	TIMOTHY M. SHOUP ET AL.: "Synthesis and Evaluation of '18F!1-Amino-3-fluorocyclobutane-1-carboxy lic Acid to Image Brain Tumors" J. NUCL. MED., vol. 40, no. 2, 1999, pages 331-8, XP0008029597 cited in the application the whole document	1,8,9, 12-14		
A	WO 97/17092 A (UNIV EMORY) 15 May 1997 (1997-05-15) cited in the application the whole document	1,8,9, 12-14		
		~		



International application No. PCT/GB 03/05576

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2. X Claims Nos.: 1-3,7,8,12-14 because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically: see FURTHER INFORMATION sheet PCT/ISA/210
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

International Application No. PCT/ GB 03 /05576

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 1-3,7,8,12-14

Present claims 1-3,7,8,12-14 relate to an extremely large number of possible compounds, methods, kits, cartridges and processes. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds, methods, kits,cartridges and processes claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the compounds, methods, kits, cartridges and processes in which a compound of Formula (Ia) is used.

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.



Information on patent family members

PCT/GB 03/05576

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9717092	A	15-05-1997	US AU AU CA EP JP WO US	5808146 A 720738 B2 1120497 A 2237218 A1 0862464 A1 2000500442 T 9717092 A1 5817776 A	15-09-1998 08-06-2000 29-05-1997 15-05-1997 09-09-1998 18-01-2000 15-05-1997 06-10-1998

Form PCT/ISA/210 (patent family annex) (January 2004)

THIS PAGE BLANK (USPTO)

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPT.O)